

Safety Data Sheet

NOTE: Access to a copy of this Safety Data Sheet (SDS) via our Website does not constitute the issue of a controlled Copy under EU legislation. To be issued with such a copy please contact Rentokil Initial at the address below by telephone, fax or in writing. In order to confirm the latest version of the SDS for this product see web: www.ri-research.com and click on Technical Information / Product Safety.

REVISION (see box 16)

Issue : 04 31 :07 : 2007

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY	
Product Name	SOLAR AIRFRESH – COUNTRY GARDEN
Description	A perfumed aerosol for use by Initial Service staff only. A modern fragrance with leafy green and floral scents, for use in the Solar Airfresh dispenser.
Company	Rentokil Initial Supplies, Liverpool, L33 7SR. Product advice line: 0151 548 5050 Emergency line: 01342 833022. e-mail: techinfo@rentokil-initial.com

2 HAZARD IDENTIFICATION	
Classification (Supply – Use) : In compliance with EC Directive 1999/45.	
F+ Extremely Flammable R12 Extremely flammable	
Adverse Physical, Chemical, Significant Human Health and Environmental Effects (See also box 11):	
<p>This product is extremely flammable, and packaged in a pressurised container, which may explode if exposed to direct sunlight or temperatures above 50°C.</p> <p>Intentional misuse by deliberately concentrating or inhaling the contents of an aerosol product can be harmful or fatal. Inhalation of excessive vapours may lead to drowsiness, loss of consciousness and subsequent asphyxiation. Direct contact with the aerosol may cause cold burns to the eyes and skin.</p> <p>No other significant adverse effects expected under normal conditions of handling and use.</p>	

3 COMPOSITION / INFORMATION ON INGREDIENTS (SEE ALSO BOX 16)			
% w/w	Common*/Chemical Name, Elincs/Einecs & CAS No. of Ingredients		EC 1999/45 Classification
>50.0 ≤100.0	Liquefied petroleum gas	EINECS : 270-704-2 CAS : 68476-85-7	F+ : R12
>2.5 ≤10.0	C11-15-iso-alkanes*	EINECS : 292-460-6 CAS : 90622-58-5	X _n : R65
≤1.0	1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl) ethan-1-one	EINECS : 259-74-3 CAS : 54464-57-2	N : R51,53
≤1.0	4-(2,6,6-Trimethylcyclohex-1-ene-1-yl)-but-3-ene-2-one	EINECS : 238-969-9 CAS : 14901-07-6	N : R51,53
≤1.0	Cedr-8-enyl methyl ketone*	EINECS : 251-020-3 CAS : 32388-55-9	N : R50,53

SOLAR AIRFRESH – COUNTRY GARDEN

4 FIRST-AID MEASURES (SEE ALSO “ADVERSE EFFECTS” IN BOX 2)	
Inhalation	Remove patient to fresh air, keep warm and at rest. Apply supportive measures if necessary and seek medical attention.
Eye Contact	Rinse affected eye with clean running water, or eyewash solution, for at least 15 minutes holding eyelids well apart. Rinse entire surface and do not allow run-off to contaminate unaffected eye. Seek medical attention.
Skin Contact	Remove and wash contaminated clothing immediately. Wash affected area thoroughly with soap and water. If the patient feels unwell seek medical advice.
Ingestion (Swallowing)	Do NOT induce vomiting. If unconscious place in the recovery position and apply supportive measures if necessary. If conscious give patient up to ½ litre or 1 pint of water to drink. Seek medical attention.
Emergency Equipment Suggested	Appropriate first-aid equipment should be provided. For the UK this should be in accordance with the Health & Safety (First-Aid) Regulations 1981. See also the Approved Code of Practice “First-aid at Work”.
Note To Doctor	Further information on all Rentokil Initial formulations is lodged with the National Poisons Information Service in the UK.

5 FIRE FIGHTING MEASURES	
Fire Extinguisher Type	Use carbon dioxide, foam, or dry powder extinguishers. Do NOT use a water jet.
Special Fire-Fighting Procedures	Wear suitable personal protective equipment.
Special Exposure Hazards	Carbon monoxide and unidentified organic compounds may be formed during combustion.

6 ACCIDENTAL RELEASE MEASURES	
Personal Precautions (See also box 8)	Wear suitable personal protective equipment.
Environmental Precautions	Keep away from drains, surface and ground water, and soil.
Clean-up Procedure (See also box 13)	If the aerosol container is damaged or pierced, if possible, allow the propellant to vent-off. Transfer to a suitable container for subsequent disposal.

7 HANDLING AND STORAGE (SEE ALSO BOX 8)	
Handling	Do not pierce or burn.
Storage	Store in original container in a cool, dry, ventilated place out of the reach of children and away from food, drink and animal feeding stuffs. Keep away from sources of ignition – No smoking.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION	
Exposure Standard - Directive EC/98/24 (1st IOELV Directive)	Workplace Exposure Limit (WEL) for liquefied petroleum gas is 1750 mg/m ³ long-term exposure (8 hour Time Weighted Average) and 2180 mg/m ³ short-term exposure (15 minute reference period).
Engineering Controls	Where exposure may occur, engineering controls, rather than the provision of Personal Protective Equipment (PPE) should be employed. On completion of a risk assessment, the following PPE may be required:
Eye Protection	None necessary when used in the Solar Airfresh dispenser, however wear goggles when installing product.
Hand Protection	None necessary when used in the Solar Airfresh dispenser, however wear rubber/PVC gloves when installing product.
Skin Protection	None necessary when used in the Solar Airfresh dispenser.
Breathing Protection	None necessary when used in the Solar Airfresh dispenser.
Environmental Exposure Controls	Use only in accordance with instructions given.

9 PHYSICAL AND CHEMICAL PROPERTIES			
Appearance and Odour	A perfumed aerosol with a modern fragrance with leafy green and floral scents.		
pH	Not applicable.	Solubility in Water	Not determined.
S.G.	0.5 at 18°C	Solubility in Fat	Not determined.
Flash Point	-104°C (liquefied petroleum gas)	Explosive Properties	Pressurised container – may explode if exposed to direct sunlight or temperatures exceeding 50°C.
Flammability	Extremely flammable.	Combustibility	Combustible.
Boiling Point/Range	Starts at ca. -2°C (liquefied petroleum gas)	Oxidising Properties	Not determined.
Vapour Density	Not determined.	Evaporation Rate	Not determined.
Vapour Pressure	Not determined.	Partition Coefficient	Not applicable.
Viscosity	Not determined.	Other Data	Freezing point = -138°C (liquefied petroleum gas)

SOLAR AIRFRESH – COUNTRY GARDEN

10 STABILITY AND REACTIVITY	
Conditions to avoid	Avoid extremes of temperature, e.g. below 0°C and above 50°C. Protect from sunlight.
Materials to avoid	Avoid contact with strong acids, alkali or oxidising agents. Do not spray on a naked flame, electrical equipment or any incandescent material.
Hazardous Breakdown Products	Carbon monoxide and unidentified organic compounds may be formed during combustion.

11 TOXICOLOGICAL INFORMATION (SEE ALSO BOX 2)	
Acute Toxicity	<p>Oral Ingestion may lead to drowsiness and loss of consciousness.</p> <p>Inhalation Inhalation of excessive vapours may lead to drowsiness, loss of consciousness and subsequent asphyxiation.</p>
Corrosivity/Irritation	<p>Dermal Direct contact with skin may cause cold burns.</p> <p>Skin Liquid or cold vapour may cause frostbite. Direct contact with skin may cause cold burns. Can be irritating to skin.</p> <p>Eyes Liquid or cold vapour may cause frostbite or corneal damage. Can be irritating to eyes.</p> <p>Respiratory tract Not determined.</p>
Sensitisation	<p>Skin Contains no known skin sensitisers.</p> <p>Respiratory Contains no known respiratory sensitisers.</p>
Repeat-Dose Toxicity	Prolonged exposure may affect the central nervous system.
Mutagenicity	Product does not contain any components known to have a mutagenic effect.
Carcinogenicity	Product does not contain any components known to have a carcinogenic effect.
Reproductive Toxicity	<p>Fertility Product does not contain any components known to have effects on fertility.</p> <p>Development Product does not contain any components known to be toxic to the reproductive system.</p>
Other Information	None known.

12 ECOLOGICAL INFORMATION	
General Information	The cedr-8-enyl methyl ketone in this product is classified as very toxic to aquatic organisms and may cause long-term adverse effects in the aquatic environment and the 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl) ethan-1-one and 4-(2,6,6-trimethylcyclohex-1-ene-1-yl)-but-3-ene-2-one are classified as toxic to aquatic organisms and may cause long-term adverse effects in the aquatic environment. However, when used in accordance with instructions given, controlled release of this product is not expected to cause environmental contamination.
Ecotoxicity Data	Not determined.
Mobility	For liquefied petroleum gas: volatile/gaseous and will partition to the air phase. If released to air, it will disperse rapidly.
Persistence and Degradability	For liquefied petroleum gas: photochemical degradation in air will proceed at a moderate rate.
Bioaccumulative Potential	Unlikely to accumulate in the environment.
Other Adverse Effects	None known.

13 DISPOSAL CONSIDERATIONS	
Disposal of Waste / Containers	Under normal circumstances, waste / empty containers will be disposed of by Rentokil Initial.
Classification	<u>Hazard Code:</u> H3A(i) – Highly flammable.
(Council Directive 91/689/EC, Commission Decision 2000/532/EC (amended) Commission Decision 2001/118/EC)	<u>Components making the waste hazardous</u> <u>Concentrations (%):</u> Liquefied petroleum gas >50.0 ≤100.0
Note for Disposal	For further advice about disposal, in the UK, contact the local office of the Environment Agency (England and Wales) or Scottish Environment Protection Agency. Local rate from anywhere in the UK: +44 (0) 870 850 6506.

14 TRANSPORT INFORMATION (INTERNATIONAL UNLESS OTHERWISE INDICATED)				
UN No.	UN1950	Tremcard Reference No.	CEFIC TEC (R)-20G5F	RIS Code
Transport Category	2	UK Hazchem EAC	Not applicable, aerosols are not allowed to be carried in tanks or in bulk.	CS67105
ADR 2007 (International Road) Proper Shipping Name	CLASS 2	ADR HIN	Not applicable, aerosols are not allowed to be carried in tanks or in bulk.	Labels
Limited Quantity Exemptions	AEROSOLS			
Special Requirements	Individual aerosols should not exceed 1000 ml and be carried in combination packages not exceeding 30 kg. If carried in shrink-wrapped trays, the total gross mass of the package must not exceed 20 kg. Not required.	Packing Group	Not required.	
IMDG 2006 (Sea) Proper Shipping Name	Class 2	IMDG EMS	F-D, S-U	
Limited Quantity Exemptions	AEROSOLS			(6 x 150 mL)
Special Requirements	Individual aerosols should not exceed 1000 ml and be carried in combination packages not exceeding 30 kg. If carried in shrink-wrapped trays, the total gross mass of the package must not exceed 20 kg. Not required.	Packing Group	Not required.	
Note for Transport	Local, State or National requirements may apply to the carriage of this product.			

15 REGULATORY INFORMATION (HEALTH AND SAFETY INFORMATION (SEE ALSO BOX 2))	
Safety Phrases	<p>S16 : Keep away from sources of ignition - No smoking.</p> <p>S35 : This material and its container must be disposed of in a safe way.</p> <p>S46 : If swallowed, seek medical advice immediately and show this container or label.</p> <p>S51 : Use only in well-ventilated areas.</p>
Additional Label Phrases	<p>WARNING:</p> <p>Keep out of the reach of children.</p> <p>Use only as directed.</p> <p>WARNING: Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn even after use.</p> <p>Do not spray on a naked flame or any incandescent material.</p>
Legislation	<p>Labelling is in accordance with UK regulations implementing the EC Directive 1999/45.</p> <p>Additional labelling requirements may be necessary in accordance with other National legislation. Outside the UK, the registration of this product may be necessary before use and any additional local requirements must be observed at all times.</p> <p>The information given on this Safety Data Sheet (SDS) does not constitute an assessment in accordance with Control of Substances Hazardous to Health (COSHH) Regulations 2002, in the UK.</p> <p>Other National measures or guidance should be followed where appropriate.</p>

16 Other Information and indication of revisions	
Packaging Information	An aerosol can containing 150 mL. Supplied in an outer cardboard box (6 x 150mL).
Revisions	Changes have been made to the content of boxes 1 and 16 (as indicated by the thick lines on the left-hand side of the boxes) compared with issue 03.
Risk phrase text (From box 3 - These refer to the ingredients only. See box 2 for the product risk phrases)	<p>R12 : Extremely flammable.</p> <p>R65 : Harmful: may cause lung damage if swallowed.</p> <p>R50,53 : Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.</p> <p>R51,53 : Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.</p>

SOLAR AIRFRESH – COUNTRY GARDEN

SDS No. 844

Issue : 04

13 : 03 : 2007

Page 4 of 4

Before using any product, ensure that you read and understand its label.

The information contained in this safety data sheet is, to the best of our knowledge and belief, accurate and reliable at the time of publication. The information relates only to the specific material designated in this safety data sheet and may not be valid for such material if it is used in combination with any other material(s) or any other use than that specified herein. Rentokil Initial UK Ltd is not liable for the use of this product for any other purpose than that described in this safety data sheet. This does not affect your statutory rights. It is the user's responsibility to satisfy him/herself as to the suitability in completeness of such information for his/her own particular use.

Copyright © (2007) Rentokil Initial plc, European Technical Centre, Felcourt, East Grinstead, West Sussex. RH19 2JY. United Kingdom.

Telephone: +44 (0) 1293 858000 Fax: +44 (0) 1342 836180 Web: www.ri-research.com